



Tennessee Valley Authority, Johnsonville Fossil Plant, 535 Steam Plant Road, New Johnsonville, TN 37134


The following lot is being offered for sale by TVA. Items are located to the right of the main gate at the New Johnsonville Fossil Plant in New Johnsonville, Tennessee.

The pre-bid meeting and inspection is scheduled for **Thursday, October 16, 2008, at 10:00 a.m. Central Time**. Interested bidders must notify Jeffery Graves at 615-374-7430 by October 15, 2008, if you plan to attend. Bidders are to assemble at the main gate. Jeffery will meet the Bidders and lead them into the plant area beginning at 10:00 a.m. Due to access control requirements, Bidders must be on time. All Bidders will be required to sign a safety waiver prior to entering the plant.

Bids are due on **Wednesday, October 22, 2008**, by 3:00 p.m. Central Time. All bids should be submitted to the Valley Wide Investment Recovery Bid Center by fax to **865-632-9473**. It is the responsibility of the bidder to confirm the receipt of his/her bid.

Lot – JOF 099001– Scales/Buckets/Welder/Lifts/Heater/Grease Cart/Outboard Motor/Yale Hoist/More

- Car Dumper Scales, Buffalo Scale Co., 4 sections with Toledo Scale Model # 400-ss-24017, capacity 300,000 lbs, 115-volt, 60 cycles, 1.8 amps., S/N 460090. (1-each) (**TVA will fill in hole after scales have been removed**)
- Clamshell Buckets, Manufactured by Hawco, Size 11-Ton, (2-each)
- A-Frame for Hawco Size 11-Ton Clamshell Bucket, (2-each)
- Clamshell Bucket & Frame complete Hawco Size 11-Ton. (1-each)
- Kelly Building Panels, w/doors.
- Motor, General Electric, model# 5K6352C1, 300 HP, 60 Cycle, Type K, Frame 6352, 3 phase, 4,000 volts (2 each)
- Motor, Toshiba, Model# C100FLF4A3R, 230/460 volts, 1175 RPM, Frame 444T, 6 poles
- Baldor Motor, 3 HP, RPM 3450, Frame 145TC, 230/460 volts (1 each)
- Lincoln Electric Welder, Idealarc R3R-400, 400 amps @ 36 volts.(1 each)
- Rol-Lift Stacker, 2000-LB lift capacity, Model #PSF20T96FD36144BNN, 24 Volt, Type E, (1 each)
- Spider Staging Inc. Lift, Model ST-17, 800 LB Max allowable working load. (1 each)
- Kerosene Heater, Master Model # B30, 350,000 BTU.
- Grease Cart, with Graco Pneumatic Pump for 55 Gal. Drum & Graco Pneumatic Pump for 35 Gal Drum. W/reels and hose.(1 each)
- Nissan 50 HP Outboard Motor, Model # NS50D. (1 each)
- Fertilizer & Seed Spreader, Buyers Co., Model No. Not Available. (1 each)
- Fertilizer & Seed Spreader, NJT Denmark Model B80.(1 each)
- Erosion Control Grass Matting, approx. 9-Rolls
- Concrete Culvert (14 each)
- Concrete Trays (3 each)



Lot – JOF 099001– Scales/Buckets/Welder/Lifts/Heater/Grease Cart/Outboard Motor/Yale Hoist/More (continued)



Lot – JOF 099002 – Gazebo

- Gazebo, 10'x10'



Special Notes:

- TVA does not guarantee material description, quantity, or type, and therefore all bidders are encouraged to inspect the lots and to read and understand the terms and conditions of the sale prior to removal. Special site specific requirements may apply.
- Copies of contract terms and conditions are available by contacting the Valley Wide Investment Recovery Bid Center via email address valleywide@tva.gov.
- TVA reserves the right to reject all bids.
- Item(s) are sold as is, where is, and all sales are final with no refunds.
- Bidders and their employees are required to wear Personal Protective Equipment (PPE) during lot inspections. During removal the Buyer and employees are required to wear, at a minimum, hard hats, gloves, safety glasses, steel toe boots, and any other PPE required as specified in the safe removal plan.
- All Buyers will be required to submit a "Safe Removal Plan" to the Valley Wide Investment Recovery Principle Engineer after award and prior to removal of the lots.
- TVA requires a two day notice prior to removal.
- Anyone inspecting material or working on a TVA site must sign a safety waiver.
- Some items may require special rigging and crane operation. Rigging and Crane operation on a TVA site requires the Buyer to be certified by TVA prior to removal. Certification may be obtained only after attending a class with TVA. A copy of the certification is required prior to removal.
- A Buyer's forklift operator must have a valid certification and the forklift must be inspected prior to operation on a TVA site. A copy of the certification is required prior to removal. TVA does not provide forklifts.
- TVA will not furnish dumpsters, lunch areas, utilities, vending areas and the like.
- Buyer is required to clean-up the area prior to removal of the last load. This includes removal of all trash, pallets, dunnage, etc. unless otherwise noted in the lot description. All material and waste must be removed from the TVA site.
- **Removal will be allowed Monday through Friday from 7:00 a.m. through 3:30 p.m. unless otherwise a federal holiday. If Bidders need to work a schedule other than this, the Bidders must include the exception at the time of bid submittal.**
- Bidders are advised to provide a bid for both options, i.e. TVA loading and Buyer loading in the area listed below.
- Bidders must provide any exceptions to the requirements within this sales notice at the time of bid submittal.

LOT #	BID – TVA LOAD	BID – BUYER LOAD
Lot – JOF 099001– Scales/Buckets/Welder/Lifts/Heater/Grease Cart/Outboard Motor/Yale Hoist/More	N/A	
Lot – JOF 099002 – Gazebo	N/A	

COMPANY: _____
CONTACT: _____
ADDRESS: _____

PHONE: _____
CELL: _____
FAX: _____
EMAIL: _____